



FLAMEN TECH


WEBBING PRODUCTS CATALOG

2025-2026



CONTENTS

<i>About us</i>	<i>03</i>
<i>Introduction</i>	<i>04</i>
<i>Webbing Products</i>	<i>05</i>
<i>Contact</i>	<i>25</i>





About us

Shenzhen Flamen Technology was established in 2019. We are a small team focused on the sales, research, and development of narrow fabrics including webbing, strap and rope, and we always strive to be this way because...

Most companies aim to grow their business into an industry leader or a large-scale operation with hundreds of employees. However, we realize that even if the company's scale expands, it will all be meaningless if we don't provide customers with corresponding services and experiences. From our numerous clients, we have learned that they often encounter the following issues when working with different suppliers:

- Delay in responding to emails
- Delay in delivery
- Dealing with inexperienced staff
- Not keeping promises
- Allowing customers to face the same problem repeatedly

Yes, the issues that trouble our customers are what we aim to solve.

At Flamen Tech, our customers don't have to worry about these issues. The advantages of our small team enable us to flexibly meet diverse customer needs, respond more quickly, and ensure a more efficient procurement process. We integrate "Quality First" and "Quick Service" into every inch of our webbing, helping each customer achieve success with integrity, enjoyment, and ease.

FLAMEN TECH
SPECIALIZES IN
DEVELOPING AND
SELLING PREMIUM
WEBBING PRODUCTS
GLOBALLY.



We offer a diverse range of webbing product options, consistently prioritizing 'Quality First' and 'Quick Service' as the core tenets of our personalized customer service.




POLYPROPYLENE

APPLICATIONS

- Apparel
- Bag
- Banner Edges
- Craft
- Outdoor Sports
- Pet Products





POLYPROPYLENE (PP) WEBBING



Width	Thickness (mm)	Tensile Result	Weight (kg/100mts)
20mm (3/4")	0.8-2.0	Average 380 kg	0.9
25mm (1")	0.8-2.0	Average 500 kg	1.15
32mm (1-1/4")	0.8-2.0	Average 600 kg	1.45
38mm (1-1/2")	0.8-2.0	Average 750 kg	1.75
50mm (2")	0.8-2.0	Average 1000 kg	2.25



Customizable:

- Width
- Thickness
- Any colors

Available Pattern:

- American
- Plain
- Tubular
- Herringbone



A close-up photograph of a car's interior, focusing on a grey upholstered seat and a black seatbelt. The seatbelt is buckled, and the image highlights the texture of the seat fabric and the strap of the seatbelt. In the bottom right corner, the word "POLYESTER" is written in white capital letters on a blue rectangular background.

POLYESTER

APPLICATIONS

- Backpack Straps
- Safety
- Seat Belt
- Transportation





POLYESTER SEAT BELT WEBBING				
★★★★★				
Width	Thickness (mm)	Tensile Result	Weave Type	Pattern
25mm (1")	1.1-1.2	1000 kgs (2200 lb)	Twill	4/5/7/9/11 Bar
38mm (1-1/2")	1.1-1.2	1800 kgs (4000 lb)	Twill	4/5/7/9/11 Bar
48mm (2")	1.1-1.2	2721 kgs (6000 lb)	Twill	4/5/7/9/11 Bar



Customizable :

- Anti-UV
- Inflaming Retarding
- Hardness
- Any Colors
- Cut-to-Length





NYLON

APPLICATIONS

- Backpack Straps
- Furniture
- Hand Bags
- Luggage
- Medical Products
- Outdoor Sports
- Shoes
- Tent





(TRUE) NYLON WEBBING



Width	Thickness (mm)	Tensile Result	Pattern
20mm (3/4")	1.0-2.0	1300 kgs (3000 lb)	·Twill ·Plain ·American ·Herringbone
25mm (1")	1.0-2.0	1700 kgs (3800 lb)	·Twill ·Plain ·American ·Herringbone
38mm (1-1/2")	1.0-2.0	2200 kgs (5000 lb)	·Twill ·Plain ·American ·Herringbone
50mm (2")	1.0-2.0	3100 kgs (7000lb)	·Twill ·Plain ·American ·Herringbone



Customizable :

- Width
- Thickness
- Any colors



HOOK AND LOOP

APPLICATIONS

- Apparel
- Cargo Control
- Curtains
- Emergency Response Products
- Fishing Rod
- Medical Products
- Military
- Outdoor Products
- Shoes
- Toys






HOOK AND LOOP ★★★★★	
Width	Materials
16mm (5/8")	Hook: 100% Polyester Loop: 30% Nylon + 70% Polyester
20mm (3/4")	Hook: 100% Polyester Loop: 30% Nylon + 70% Polyester
25mm (1")	Hook: 100% Polyester Loop: 30% Nylon + 70% Polyester
30mm (1-3/16")	Hook: 100% Polyester Loop: 30% Nylon + 70% Polyester
50mm (2")	Hook: 100% Polyester Loop: 30% Nylon + 70% Polyester
100mm (4")	Hook: 100% Polyester Loop: 30% Nylon + 70% Polyester



- Hook and Loop are sold separately
- 25 meters per roll
- All hook and loop rolls can add paper clips and cores.





JACQURAD

APPLICATIONS

- Apparel
- Bags
- Shoes



JACQUARD WEBBING		
★★★★★		
Width	Thickness (mm)	Pattern
20mm (3/4")	1.0-2.0	Custom Made From The Provided Image
25mm (1")	1.0-2.0	
32mm (1-1/4")	1.0-2.0	
38mm (1-1/2")	1.0-2.0	
50mm (2")	1.0-2.0	



Customizable :


·Any Pattern



POLYESTER-COTTON

APPLICATIONS

- Apron Ties
- Bags
- Craft
- Furniture



POLYESTER-COTTON WEBBING



Width	Thickness (mm)	Pattern
20mm (3/4")	1.4/2.0	Tubular
25mm (1")	1.4/2.0	Tubular
32mm (1-1/4")	1.4/2.0	Tubular
38mm (1-1/2")	1.4/2.0	Tubular
50mm (2")	1.4/2.0	Tubular



Customizable :

·Any colors: For polyester-cotton webbing, we have over 100 colors available for customization.





ELASTIC

APPLICATIONS

- Furniture
- Sports Vest
- Underwear
- Safety Goggles
- Helmet
- Suitcase





ELASTIC WEBBING			
★★★★★			
Width	Thickness (mm)	Fibre	Fibre
6-100 mm	General: 0.8mm	Latex and Polyester	·Crocheted ·Warp Knitted ·Stitch Bonded ·Jacquard
	Medium: 0.9mm		
	Extra: 1.1mm		



Customizable :

- Width
- Thickness
- Any colors/pattern






MILITARY

APPLICATIONS

- Camping
- Hiking Expeditions
- Military Equipment
- Tactics Gear





MILITARY WEBBING		
★★★★★		
Width	Thickness (mm)	Camo Pattern
20mm (3/4")	1.0-3.0	Pure Colors/ Jungle/Desert/Snow/Ocean
25mm (1")	1.0-3.0	Pure Colors/ Jungle/Desert/Snow/Ocean
32mm (1-1/4")	1.0-3.0	Pure Colors/ Jungle/Desert/Snow/Ocean
38mm (1-1/2")	1.0-3.0	Pure Colors/ Jungle/Desert/Snow/Ocean
50mm (2")	1.0-3.0	Pure Colors/ Jungle/Desert/Snow/Ocean



Customizable :

- Camo Pattern
- Width
- Thickness
- Specific Function: Anti-infrared/water/oil/ultraviolet,inflaming retarding





HEAVY DUTY

APPLICATIONS

- Belt
- Cargo Control
- Lifting
- Tie Down





HEAVY DUTY WEBBING		
★★★★★		
Width	Thickness (mm)	Fibre
20mm (3/4")	1.5-3.0	PP/POLYESTER/NYLON
25mm (1")	1.5-3.0	PP/POLYESTER/NYLON
32mm (1-1/4")	1.8-3.0	PP/POLYESTER/NYLON
38mm (1-1/2")	1.8-3.0	PP/POLYESTER/NYLON
50mm (2")	1.8-3.0	PP/POLYESTER/NYLON



Customizable:

- Width
- Thickness
- Any colors

Available Pattern:

- American
- Plain
- Tubular
- Herringbone





PET PRODUCTS

APPLICATIONS

- Farm
- Livestock
- Pet Leash
- Saddlery





PET WEBBING PRODUCTS



Width	Thickness (mm)	Applicable Webbing
20mm (3/4")	0.8-2.0	PP/NYLON/POLYESTER
25mm (1")	0.8-2.0	PP/NYLON/POLYESTER
32mm (1-1/4")	0.8-2.0	PP/NYLON/POLYESTER
38mm (1-1/2")	0.8-2.0	PP/NYLON/POLYESTER
50mm (2")	0.8-2.0	PP/NYLON/POLYESTER



Customizable :

- Width
- Thickness
- Any colors/pattern





FLAMEN TECH

2025-2026

Contact

Email: sales@flamentech.com

Phone: 0086-195 7543 1827

Address: 2nd Floor, Garden City Digital
Building, Shenzhen, Guangdong Province,
China, 518067

www.flamentech.com

